

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
21 June 2001 (21.06.2001)

PCT

(10) International Publication Number  
WO 01/44174 A1


- (51) International Patent Classification<sup>7</sup>: C07C 309/42, A61L 27/28, 27/34, 29/08, 33/04, 33/00
- (21) International Application Number: PCT/US00/33643
- (22) International Filing Date:  
11 December 2000 (11.12.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
09/460,551 14 December 1999 (14.12.1999) US
- (71) Applicant (for all designated States except US): SURMODICS, INC. [US/US]; 9924 West 74th Street, Eden Prairie, MN 55344-3523 (US).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): SWAN, Dale, G. [US/US]; 1856 Parker Road, St. Louis Park, MN 55426 (US).
- (74) Agents: GOLDMAN, Philip, M. et al.; Fredrikson & Byron, P.A., 1100 International Centre, 900 2nd Ave. S., Minneapolis, MN 55402-3397 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:
- With international search report.
  - Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

DOCKETED

B 7-21-01 DCH

WO 01/44174 A1

(54) Title: SURFACE COATING AGENTS



(I)

(57) Abstract: Compounds useful as surface coating agents, including compounds of Formula (I), wherein  $X_1$  comprises a first photoreactive species;  $X_2$  comprises a second photoreactive species; Y comprises a nonpolymeric core molecule comprising an aromatic group; and Z comprises at least one charged group. The Y core can include an aromatic group such as a benzene radical, the charged groups Z can be independently selected from the organic acids that include sulfonic acid, carboxylic acid, and phosphoric acid, and the photoreactive species of  $X_1$  and  $X_2$  can independently be aryl ketones, such as those selected from the group acetophenone, benzophenone, anthraquinone, anthrone, and anthrone-like heterocycles, and their substituted derivatives. Examples of such coating agents include 4,5-bis(4-benzoylphenylmethylenoxy) benzene-1,3-disulfonic acid di(potassium and/or sodium) salt, 2,5-bis(4-benzoylphenylmethylenoxy) benzene-1,4-disulfonic acid di(potassium and/or sodium) salt (Compound II), and 2,5-bis(4-benzoylphenylmethylenoxy) benzene-1-sulfonic acid monopotassium and/or monosodium salt.

## SURFACE COATING AGENTS

### CROSS REFERENCE TO RELATED APPLICATIONS

5

The present application is a continuation of US patent application filed December 14, 1999 and assigned Serial No. 09/460,551, the entire disclosure of which is incorporated herein by reference.

10

### TECHNICAL FIELD

The present invention relates to chemical compounds providing both charged groups as well as photoreactive species. In a related aspect, the invention relates to chemical compounds for use as surface coating agents.

15

### BACKGROUND OF THE INVENTION

The chemical modification of surfaces to achieve desired chemical and/or physical characteristics has been previously described. For example, U.S. Patent Nos. 4,722,906; 4,973,493; 4,979,959; 5,002,582; and 5,512,329 (each of which is commonly owned by the assignee of the invention described herein, and the disclosure of each is incorporated herein by reference), relate to surface modification by the use of latent reactive groups to achieve covalent coupling of reagents such as biomolecules and synthetic polymers to various substrates. The preferred latent reactive group is typically described as a photochemically reactive functional group ("photoreactive species"). When exposed to an appropriate energy source, a photoreactive species undergoes a transformation from an inactive state (i.e., ground state) to a reactive intermediate capable of forming covalent bonds with appropriate materials.

20

25

Such latent reactive groups can be used, for instance, to first derivatize a target molecule (e.g., thermochemically), in order to then photochemically attach the derivatized target molecule to a surface. Such a sequential approach is suitable in many situations, but can lack such attributes as speed, versatility, and ease of use, particularly when used with target molecules that are inherently difficult to first derivatize or under conditions that would result in loss of biological activity.

Latent reactive groups can also be used to prepare photoactivatable heterobifunctional molecules as linking agents, e.g., having a photoreactive species at one end or portion with a thermochemical attachment group at another (see, e.g., the above-captioned '582 patent, and U.S. Patent No. 4,309,453, Reiner et al.). Such linking agents can be used to either attach nonreactive compounds to a surface or to prime a relatively inert surface in order to render it reactive upon exposure to suitable actinic radiation.

U.S. Patent No. 5,414,075 (commonly owned by the assignee of the present invention and incorporated by reference herein), describes the use of linking agents to prime a surface to provide the surface with photoactivatable groups. This patent describes a restrained, multifunctional reagent useful for priming a support surface, or for simultaneous application with a target molecule to a support. Reagents such as those described above, including those described in the '075 patent, are generally hydrophobic. As a result, they are of relatively low solubility in aqueous systems, thereby often limiting their usefulness in hydrophilic applications.

U.S. Patent No. 5,714,360, also commonly owned by the present assignee (and also incorporated herein by reference), describes a chemical linking agent comprising a di-or higher functional photoactivatable charged compound. The linking agent provides at least one group that is charged under the conditions of use, in order to provide improved water solubility, and two or more photoactivatable groups in order to allow the agent to be used as a linking agent in aqueous systems. The "Y group" that provides the core radical is defined as a radical containing one or more charged groups, such as the linear and heterocyclic nitrogen-containing (e.g., quaternary ammonium) radicals exemplified therein. In a preferred embodiment, the charged groups include, but are not limited to, salts of organic acids (such as sulfonate,


phosphonate, and carboxylate groups), onium compounds (such as quaternary ammonium, sulfonium, and phosphonium groups), and protonated amines, as well as combinations thereof. The photoreactive species can be provided by two or more radicals of an aryl ketone such as benzophenone.

While the reagents of the art are sufficient, if not preferred, for many applications, there remain applications in which various other properties or attributes, such as water solubility, ease of synthesis and/or hemocompatibility, are not optimally provided by the reagents of the art.

## SUMMARY OF THE INVENTION

The present invention provides compounds useful as coating agents. In one aspect, the present invention provides a compound comprising a nonpolymeric core molecule comprising an aromatic group, the core molecule having attached thereto, either directly or indirectly, one or more substituents comprising negatively charged groups, and two or more photoreactive species, wherein the photoreactive species are provided as independent photoreactive groups. The first and second photoreactive species of the present coating agent can, independently, be identical or different.

In a preferred embodiment the reagent comprises a compound of the formula:



wherein  $X_1$  comprises a first photoreactive species;

$X_2$  comprises a second photoreactive species;

Y comprises a nonpolymeric core molecule comprising an aromatic group; and

Z comprises at least one charged group.

In such an embodiment, for instance, Y can include an aromatic group such as a benzene radical, the charged groups Z can be independently selected from the salts of organic acids that include sulfonic acid, carboxylic acid, and phosphoric acid, and the photoreactive species of  $X_1$  and  $X_2$  can independently be aryl ketones, such as

those selected from the group acetophenone, benzophenone, anthraquinone, anthrone, and anthrone-like heterocycles, and their substituted derivatives.

A coating agent of the invention has broad applicability, particularly since it can be used in surface modification reaction systems where previous agents have not been effective or optimal. In particular, the presence of one or more charged groups (e.g., salts of sulfonic, carboxylic and phosphoric acids) provides the agent with enhanced water solubility. This, in turn, allows the coating agent to be used in reaction systems favoring water soluble agents. A coating agent of the present invention thereby provides an improved combination of such properties as coating density and structural stability, allowing the agent to be used in a broad range of reaction systems.


Moreover, the presence of photoreactive species permits the agent to be used with a wide variety of support surfaces. The coating agent can be used alone as a coating composition for a support surface, in order to provide a surface primed with the coating agent itself. In this embodiment, the coating agent provides the surface with desirable properties of the coating agent itself, such as, for example, antithrombogenicity, lubricity, hemocompatibility, wettability/hydrophilicity, durability of attachment to the surface, biocompatibility, and bacterial adhesion.

#### DETAILED DESCRIPTION

Compounds of this invention comprise a nonpolymeric core molecule comprising an aromatic group, the core molecule having attached thereto, either directly or indirectly, one or more substituents comprising negatively charged groups, and two or more substituents comprising photoreactive species, wherein the photoreactive species are provided as independent photoreactive groups.


In a preferred embodiment, the core is provided as the residue of a polyhydroxy benzene starting material (e.g., formed as a derivative of hydroquinone, catechol, or resorcinol), in which the hydroxy groups have been reacted to form an ether (or ether carbonyl) linkage to a corresponding plurality of photogroups.


In one embodiment, a coating agent of this invention further comprises one or more optional spacers that serve to attach a core molecule to corresponding photoreactive species, the spacer being selected from radicals with the general formula:




wherein n is a number greater or equal to 1 and less than about 5, and m is a number greater or equal to 1 and less than about 4.

10                    In a particularly preferred embodiment, such coating agents are selected from the group 4,5-bis(4-benzoylphenylmethylenoxy) benzene-1,3-disulfonic acid di(potassium and/or sodium) salt, 2,5-bis(4-benzoylphenylmethylenoxy) benzene-1,4-disulfonic acid di(potassium and/or sodium) salt, 2,5-bis(4-benzoylphenylmethylenoxy) benzene-1-sulfonic acid monopotassium and/or monosodium salt.

Agent	Formula
4,5-bis(4-benzoylphenylmethylenoxy) benzene-1,3-disulfonic acid di(potassium and/or sodium) salt  Compound I	

<p>2,5-bis(4-benzoyl-phenylmethylenoxy) benzene-1,4-disulfonic acid di(potassium and/or sodium) salt</p> <p>Compound II</p>	

<p>2,5-bis (4-benzoyl methyleneoxy) benzene-1-sulfonic acid monopotassium and/or monosodium salt</p> <p>Compound III</p>	
--	--

Suitable core molecules of the present invention include nonpolymeric radicals having a low molecular weight (e.g., 100-1000 MW). Suitable core molecules provide an improved combination of such properties as coating density, structural stability, ease

of manufacture, and cost. Further, core molecules can be provided with water soluble regions, biodegradable regions, hydrophobic regions, as well as polymerizable regions. Examples of suitable core molecules include cyclic hydrocarbons, such as benzene and derivatives thereof.

5 As used herein, a "charged" group generally refers to a group that is present in ionic form in solution, i.e., carries an electrical charge under the conditions (e.g., pH) of use. The charged groups are present, in part, to provide the compound with desired water solubility. Additionally, such charged groups provide a combination of such desirable characteristics as antithrombogenicity and hemocompatibility.

---

10 The type and number of charged groups in a preferred coating agent are sufficient to provide the agent with a water solubility (at room temperature and optimal pH) of at least about 0.1 mg/ml, and preferably at least about 0.5 mg/ml, and more preferably at least about 1 mg/ml. Given the nature of the surface coating process, coating agent solubility levels of at least about 0.1 mg/ml are generally  
15 adequate for providing useful coatings of target molecules (e.g., polymer layers) on surfaces.

The coating agent of the present application can thus be contrasted with many coating agents in the art, which are typically considered to be insoluble in water (e.g., having a comparable water solubility in the range of about 0.1 mg/ml or less, and  
20 more often about 0.01 mg/ml or less). For this reason, conventional coating agents are typically provided and used in solvent systems in which water is either absent or is provided as a minor (e.g., less than about 50% by volume) component.

Examples of suitable charged groups include salts of organic acids (e.g., sulfonate, phosphonate, and carboxylate groups), as well as combinations thereof. A  
25 preferred charged group for use in preparing coating agents of the present invention is a sulfonic acid salt, e.g., derivatives of  $\text{SO}_3^-$  in which the counterion is provided by the salts of Group I alkaline metals (Na, K, Li ions) to provide a suitable positively charged species.

Photoreactive species are defined herein, and preferred species are sufficiently  
30 stable to be stored under conditions in which they retain such properties. See, e.g., U.S. Patent No. 5,002,582, the disclosure of which is incorporated herein by reference.



Latent reactive groups can be chosen that are responsive to various portions of the electromagnetic spectrum, with those responsive to ultraviolet and visible portions of the spectrum (referred to herein as "photoreactive") being particularly preferred.

Photoreactive species respond to specific applied external stimuli to undergo active specie generation with resultant covalent bonding to an adjacent chemical structure, e.g., as provided by the same or a different molecule. Photoreactive species are those groups of atoms in a molecule that retain their covalent bonds unchanged under conditions of storage but that, upon activation by an external energy source, form covalent bonds with other molecules.

10       The photoreactive species generate active species such as free radicals and particularly nitrenes, carbenes, and excited states of ketones upon absorption of electromagnetic energy. Photoreactive species can be chosen to be responsive to various portions of the electromagnetic spectrum, and photoreactive species that are responsive to e.g., ultraviolet and visible portions of the spectrum, are preferred and can be referred  
15       to herein occasionally as "photochemical group" or "photogroup."

      The use of photoreactive species in the form of photoreactive aryl ketones are preferred, such as acetophenone, benzophenone, anthraquinone, anthrone, and anthrone-like heterocycles (i.e., heterocyclic analogs of anthrone such as those having N, O, or S in the 10- position), or their substituted (e.g., ring substituted) derivatives. Examples of  
20       preferred aryl ketones include heterocyclic derivatives of anthrone, including acridone, xanthone, and thioxanthone, and their ring substituted derivatives. Particularly preferred are thioxanthone, and its derivatives, having excitation energies greater than about 360 nm.

      The functional groups of such ketones are preferred since they are readily  
25       capable of undergoing the activation/inactivation/reactivation cycle described herein. Benzophenone is a particularly preferred photoreactive moiety, since it is capable of photochemical excitation with the initial formation of an excited singlet state that undergoes intersystem crossing to the triplet state. The excited triplet state can insert into carbon-hydrogen bonds by abstraction of a hydrogen atom (from a support surface,  
30       for example), thus creating a radical pair. Subsequent collapse of the radical pair leads to formation of a new carbon-carbon bond. If a reactive bond (e.g., carbon-hydrogen) is

not available for bonding, the ultraviolet light-induced excitation of the benzophenone group is reversible and the molecule returns to ground state energy level upon removal of the energy source. Photoactivatable aryl ketones such as benzophenone and acetophenone are of particular importance inasmuch as these groups are subject to multiple reactivation in water and hence provide increased coating efficiency.

The azides constitute a preferred class of photoreactive species and include derivatives based on arylazides ( $C_6R_5N_3$ ) such as phenyl azide and particularly 4-fluoro-3-nitrophenyl azide, acyl azides ( $-CO-N_3$ ) such as benzoyl azide and p-methylbenzoyl azide, azido-formates ( $-O-CO-N_3$ ) such as ethyl azidoformate, phenyl azidoformate, sulfonyl azides ( $-SO_2-N_3$ ) such as benzenesulfonyl azide, and phosphoryl azides  $(RO)_2PON_3$  such as diphenyl phosphoryl azide and diethyl phosphoryl azide. Diazo compounds constitute another class of photoreactive species and include derivatives of diazoalkanes ( $-CHN_2$ ) such as diazomethane and diphenyldiazomethane, diazoketones ( $-CO-CHN_2$ ) such as diazoacetophenone and 1-trifluoromethyl-1-diazo-2-pentanone, diazoacetates ( $-O-CO-CHN_2$ ) such as t-butyl diazoacetate and phenyl diazoacetate, and beta-keto-alpha-diazoacetates ( $-CO-CN_2-CO-O-$ ) such as t-butyl alpha diazoacetoacetate. Other photoreactive species include the diazirines ( $-CHN_2$ ) such as 3-trifluoromethyl-3-phenyldiazirine, and ketenes ( $-CH=C=O$ ) such as ketene and diphenylketene.

Upon activation of the photoreactive species, the coating agents are covalently bound to each other and/or to the material surface by covalent bonds through residues of the photoreactive species. Exemplary photoreactive species, and their residues upon activation, are shown as follows (wherein R and R' can be the same or different independently represent any non-interfering group).

<u>Photoreactive</u>	<u>Group</u>	<u>Residue Functionality</u>
aryl azides	amine	R-NH-R'
acyl azides	amide	R-CO-NH-R'
azidoformates	carbamate	R-O-CO-NH-R'
sulfonyl azides	sulfonamide	R-SO <sub>2</sub> -NH-R'
phosphoryl azides	phosphoramidate	(RO) <sub>2</sub> PO-NH-R'
diazoalkanes	new C-C bond	

	diazoketones	new C-C bond and ketone
	diazoacetates	new C-C bond and ester
	beta-keto-alpha-diazoacetates	new C-C bond and beta-ketoester
	aliphatic azo	new C-C bond
5	diazirines	new C-C bond
	ketenes	new C-C bond
	photoactivated ketones	new C-C bond and alcohol

In one embodiment, the coating agent of the present invention further includes optional spacers between the nonpolymeric aromatic core molecule and one or more

---

10 of the photoreactive species. A spacer is provided in situations when it is desired to provide more distance between the photoreactive species and the core molecule. For example, it can be desirable to provide a spacer to avoid steric hindrance that may result between the core molecule and the photoreactive species, thus inhibiting the photoreactive species from forming covalent bonds with a support surface (in terms of

15 the second photoreactive species), or from serving as a linking agent for attaching natural and synthetic polymers to a surface.

The coating agent can be applied to the surface of interest in any suitable manner. For example, the coating agent can be applied by dip coating or by dispersing the agent on the surface (for example, by spray coating). Suitable methods

20 of application include application in solution, dipping, spray coating, knife coating, and roller coating. In a particularly preferred embodiment, the coating agent is applied to the surface via spray coating, as this application method provides increased density of the coating agent on the support surface, thereby improving durability.

The invention will be further described with reference to the following non-

25 limiting Examples. It will be apparent to those skilled in the art that many changes can be made in the embodiments described without departing from the scope of the present invention. Thus the scope of the present invention should not be limited to the embodiments described in this application, but only by embodiments described by the language of the claims and the equivalents of those embodiments. Unless otherwise

30 indicated, all percentages are by weight.

## EXAMPLES

### Example 1

Preparation of 4,5-bis(4-benzoylphenylmethylenedioxy) benzene-1,3-disulfonic acid disodium salt (Compound I)

5           4,5-bis(4-benzoylphenylmethylenedioxy) benzene-1,3-disulfonic acid disodium salt (Compound I) was prepared as follows. An amount (9.0 g, 0.027 moles) of 4,5-dihydroxy 1,3-benzene disulfonic acid disodium salt monohydrate was added to a 250 ml, 3 necked round bottom flask fitted with an overhead stirrer, gas inlet port, and  
10 reflux condenser. An amount (15 g, 0.054 moles) of 4-bromomethylbenzophenone (BMBP), 54 ml tetrahydrofuran (THF), and 42 ml deionized water were then added. The flask was heated with stirring under an argon atmosphere to reflux. The argon atmosphere was maintained during the entire time of refluxing.

          After reflux was reached, 9.0 ml (6 N, 0.054 moles) of a sodium hydroxide  
15 solution was added through the reflux condenser. The reaction was stirred under reflux for 3 hours. After this time, a second portion of BMBP, 3.76 g (0.014 moles), and 3.6 ml (6 N, 0.022 moles) of sodium hydroxide were added. The reaction was continued under reflux for more than 12 hours, after the second BMBP addition.

          The reaction mixture was evaporated at 40<sup>0</sup> C under vacuum on a rotary  
20 evaporator to give 46 g of a yellow paste. The paste was extracted by suspending three times in 50 ml of chloroform at 40<sup>0</sup> C for 30 minutes. A centrifuge was used to aid in the decanting of the chloroform from the solid. The solid was collected on a Buchner funnel, after the last extraction, and air dried for 30 minutes. The solid was then dried by using a rotary evaporator with a bath temperature of 50°C at a pressure  
25 of about 1 mm for 30 minutes.

          The dried solid, 26.8 g, was recrystallized from 67 ml of water and 67 ml of methanol. The dried purified product amounted to 10.4 g (the theoretical yield was 19.0 g) with absorbance of 1.62 at 265 nm for a concentration of 0.036 mg/ml.

### Example 2

Preparation of 2,5-bis(4-benzoylphenylmethylenoxy) benzene-1,4-disulfonic acid dipotassium salt (Compound II)

5           2,5-bis(4-benzoylphenylmethylenoxy) benzene-1,4-disulfonic acid disodium salt (Compound II) was prepared as follows. An amount (15.0 g , 0.043 moles) of 2,5-dihydroxy 1,4-benzene disulfonic acid dipotassium salt was added to a 500 ml, 3 necked round bottom flask fitted with an overhead stirrer, gas inlet port, and reflux condenser. An amount (23.75 g , 0.086 moles) of BMBP, 10.0g (0.094 moles) of  
10   sodium carbonate, 90 ml of methanol, and 90 ml deionized water were then added.

The flask was heated with stirring under an argon atmosphere to reflux. The argon atmosphere was maintained during the entire time of refluxing. The reaction was stirred under reflux for 2 hours.

A second portion of BMBP, 6.25 g (0.023 moles), and 2.65 g (0.025 moles)  
15   sodium carbonate were added. The reaction was continued under reflux for 2 more hours, after the second BMBP addition.

The reaction mixture was filtered and dried to give 43.6 g of a semi-dry solid. The solid was dried to give 26.8 g of a gray powder (the theoretical yield was 31 g).

### Example 3

20   Preparation of 2,5-bis(4-benzoylphenylmethylenoxy) benzenesulfonic acid sodium and/or potassium salt (Compound III)

2,5-bis(4-benzoylphenylmethylenoxy) benzenesulfonic acid monosodium and/or monopotassium salt was prepared as follows. An amount (1.98 g , 0.0087  
25   moles) of 2,5-dihydroxybenzene sulfonic acid potassium salt was added to a 100 ml, 3 necked round bottom flask fitted with an overhead stirrer, gas inlet port, and reflux condenser. An amount (4.75 g , 0.017 moles) of BMBP; 2.9 ml (0.017 moles) of 6N sodium hydroxide; 18 ml of methanol; and 14 ml of deionized water were then added. The flask was heated with stirring under an argon atmosphere to reflux. The argon  
30   atmosphere was maintained during the entire time of refluxing. The reaction was stirred under reflux for 1 hour.

A second portion of BMBP, 1.25 g (0.0045 moles), and 1.1 ml (0.0066 moles) of 6N sodium hydroxide were added. The reaction was continued under reflux for 1 more hour, after the second BMBP addition.

At the end of the reaction there were two liquid layers present. The reaction mixture had solidified 2 days later; the solid was filtered and dried to give 5.95 g of a light tan solid (the theoretical yield was 5.1 to 5.3 g).

#### Example 4

##### Compound I Coating on Hydrogel Matrix

An experiment was performed to demonstrate the effectiveness of using

Compound I as a coating agent on a polyvinylpyrrolidone (PVP) based, lubricious, hydrogel matrix.

The concentrations for the formulations came out of design of experiments performed with Compound I/PVP<sub>k90</sub> combinations. Three factors were varied for each experiment, PVP<sub>k90</sub> concentration (20-40 mg/ml), Compound I concentration (0.3-0.7 mg/ml), and % isopropyl alcohol (10-40% by volume IPA). From the experiments it was determined that high PVP<sub>k90</sub> level (40 mg/ml), high Compound I (0.7 mg/ml), and low % IPA level (10%) was the most favorable formulation for the Compound I/PVP<sub>k90</sub> combinations.

A solution of Compound I and PVP was prepared and applied to the surface of a polyvinylchloride (PVC) intermittent urinary catheter. This solution contained 0.7 mg/ml of Compound I and 40 mg/ml of PVP<sub>k90</sub> in a solvent system of 10% (by volume) isopropyl alcohol and 90% (by volume) water.

The surface of the PVC catheter was cleaned by wiping with an alcohol soaked cloth. The coating was applied to the catheter by a dip method at a speed of 1 cm/s. The coating was illuminated wet to dry with a Dymax lamp (as previously described) for 4 minutes, while the catheter was rotated.


##### Durability and Lubricity

To assess lubricity and tenacity of coated parts, frictional force over both the first and last 5 cycles of a 60 cycle test was evaluated. The coated catheters were evaluated by a horizontal sled style friction test method (modified ASTM D-1894, as described below).

Regenerated cellulose (Spectra/Por molecular porous membrane, MWCO: 6-8,000, flat width 50 mm, part # 132665, available from Spectrum Medical Industries, Inc., Los Angeles, CA) was hydrated and then wrapped around a 200 gram stainless steel sled. The sheet of cellulose was clipped together tightly on the opposite side of the sled. The sled with rotatable arm was then attached to a 250 gram Chatillon Digital Force Gauge (DGGHS, 250 x 0.1) with computer interface. The testing surface was mounted on a 22.5 inch positioning rail table with micro-stepper motor control (Compumotor SX6 Indexer/Drive).

The parts to be tested were hydrated in deionized water and clamped onto the test surface 1 inch (or approximately 2.5 cm) apart. The hydrated cellulose covered sled was placed on top of the parts. Initial force measurements were taken while the sled moved at 0.5 cm/sec over a 5 cm section for five push/pull cycles. The sled then continued cycling over the coated samples 50 push/pull cycles at 5 cm/sec to simulate abrasion. The velocity was then decreased back to 0.5 cm/sec and the final force measurements were taken over another five push/pull cycles.

Figure 1. Horizontal Sled Style Friction Test  
200 g Stainless Steel Sled Covered  
in Regenerated Cellulose



As shown in Figure 1 below, the results show that the Compound I/PVP<sub>k90</sub> combination provided a superior lubricious hydrogel matrix in terms of durability. For the Compound I formulation, the grams of force remained relatively constant for all 60 cycles, indicating a durable coating.

5

### Example 5

#### Partial Thromboplastin Time of Coating Agents

An experiment was conducted to determine the hemocompatibility of the coating agent when attached to a support surface.

10 A useful test in determining the hemocompatibility of a reagent is the partial thromboplastin time (PTT) test. The PTT is a test of the intrinsic (factors VIII, IX, XI, and XII) and common (fibrinogen, prothrombin, factors V and X) pathways of coagulation. A mixture of plasma and phospholipid platelet substitute (rabbit brain cephalin) is recalcified and the time required for the appearance of fibrin strands  
15 measured.

The PTT was tested to determine whether Compound I or Compound II have the ability to extend the control PTT. A test tube of rabbit brain cephalin (Sigma #RBC) in 0.85% NaCl and a test tube of 0.02 M CaCl<sub>2</sub> was brought to 37° C in a water bath. Dade Ci-trol coagulation control lyophilized plasma (Dade International,  
20 Inc., product no. 34224-10) was reconstituted in sterile deionized water. In 10 x 75 mm glass test tubes, 100 µl reconstituted plasma and 100 µl RBC were mixed and incubated at 37°C in a water bath for 5 minutes. Next, 50 µl of sample (deionized water, a photocrosslinkable polyvinylpyrrolidone (available from SurModics, inc., product no. PVO5), or Compound I or II) was added and mixed. While  
25 simultaneously starting a stop watch, 100 µl of 0.02 M CaCl<sub>2</sub> was added to initiate the clotting cascade. After 40 seconds had passed, the test tubes were shaken lightly, observed for fibrin formation, and the number of seconds was recorded.

All samples were tested in duplicate. The appropriate control PTT, depending upon what solvent in which the reagent was dissolved, was subtracted from the  
30 average PTT for the reagent to give the time the control PTT was extended.



The results of a PTT experiment with two different concentrations of each reagent are shown in Table 1. The polymer PVO5, which does not have any sulfonate groups, did not extend the deionized water control PTT. Compounds I and II, which contain sulfonate groups, were able to considerably extend their control PTT's at both concentrations tested. At the higher of the two final concentrations tested, Compound II is able to extend the PTT from its water control by 1 hour or more, and Compound II is able to extend the 50% IPA control PTT by 1 hour. These results show that the reagents were able to inhibit the coagulation cascade, and therefore could be beneficial for hemocompatible applications.

10

**Table 1.** PTT of sulfonate reagents.

Sample	Final Concentration (mg/ml)	Solvent	Formed Clot	Average PTT (seconds)	Time Extended Beyond Control PTT (seconds)
DI H <sub>2</sub> O control	--	--	yes	53	--
50% IPA control	--	--	yes	78	--
PVO5	0.7	H <sub>2</sub> O	yes	53	0
Compound I	0.7	H <sub>2</sub> O	yes	117	64
Compound II	0.7	50% IPA	yes	134	56
Compound I	1.43	H <sub>2</sub> O	no	> 3600	>3600
Compound II	1.29	50% IPA	yes	3600	3522

## CLAIMS


What is claimed is:

1. A reagent useful as a surface coating agent, the reagent comprising a nonpolymeric core molecule comprising an aromatic group, the core molecule having  
5 attached thereto, either directly or indirectly, one or more substituents comprising negatively charged groups, and two or more photoreactive species.
2. The reagent of claim 1 wherein the negatively charged groups are independently selected from salts of organic acids.
3. The reagent of claim 2 wherein the organic acids are selected from  
10 sulfonic acid, carboxylic acid, and phosphoric acid.
4. The reagent of claim 1 wherein the cyclic group is a benzene radical.
5. The reagent of claim 1 wherein the photoreactive species are independently aryl ketones.
6. The reagent of claim 5 wherein each aryl ketone is independently  
15 selected from the group acetophenone, benzophenone, anthraquinone, anthrone, and anthrone-like heterocycles, and their substituted derivatives.
7. The reagent of claim 1 further comprising one or more spacer groups attaching corresponding photoreactive species to the core molecule.
8. The reagent of claim 7 wherein the spacer groups each independently  
20 comprise a radical of the formula:  

$$\text{---O---(CH}_2\text{)}_n\text{---}$$
wherein n is a whole number equal to at least one.
9. The reagent of claim 7 wherein the spacer groups each independently comprise a radical of the formula:  
25  

$$\text{---(C}_2\text{H}_4\text{O)}_m\text{---C}_2\text{H}_4\text{O---}$$
wherein m is a whole number equal to at least one.
10. The reagent of claim 1 wherein the reagent is selected from the group 4,5-bis(4-benzoylphenylmethylenedioxy) benzene-1,3-disulfonic acid di(potassium and/or sodium) salt, 2,5-bis(4-benzoylphenylmethylenedioxy) benzene-1,4-disulfonic acid  
30 di(potassium and/or sodium) salt, 2,5-bis(4-benzoylphenylmethylenedioxy) benzene-1-sulfonic acid monopotassium and/or monosodium salt.

11. The reagent of claim 1 wherein the reagent is of the formula:



5 wherein  $X_1$  comprises a first photoreactive species;  $X_2$  comprises a second photoreactive species; Y comprises a nonpolymeric core molecule comprising an aromatic group; and Z comprises at least one charged group.

- 10 12. The reagent of claim 11 wherein the Y group comprises benzene radical.

---

13. The reagent of claim 12 wherein the charged groups Z are independently selected from the organic acids that include sulfonic acid, carboxylic acid, and phosphoric acid.

- 15 14. The reagent of claim 12 wherein the photoreactive species of  $X_1$  and  $X_2$  are independently aryl ketones.

15. The reagent of claim 14 wherein the aryl ketones are selected from the group acetophenone, benzophenone, anthraquinone, anthrone, and anthrone-like heterocycles, and their substituted derivatives.

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/33643

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C07C309/42 A61L27/28 A61L27/34 A61L29/08 A61L33/04  
A61L33/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C07C A61L G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 99 47176 A (SURMODICS INC) 23 September 1999 (1999-09-23) page 5, line 30 -page 6, line 1 compounds 24,29 claims 1-3,6	1-9, 11-15
X	WO 97 16544 A (BSI CORP ;SWAN DALE G (US); AMOS RICHARD A (US); EVERSON TERRENCE) 9 May 1997 (1997-05-09) page 8, line 2 - line 12 claims 1-11	1-9, 11-15
E	WO 01 21326 A (CHUDZIK STEPHEN J ;STUCKE SEAN M (US); SURMODICS INC (US); SWAN DA) 29 March 2001 (2001-03-29) the whole document	1-15

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents:

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*Z\* document member of the same patent family

Date of the actual completion of the international search

12 April 2001

Date of mailing of the international search report

23/04/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax (+31-70) 340-3016

Authorized officer

Thornton, S

Information on patent family members

International Application No

PCT/US 00/33643

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9947176	A	23-09-1999	AU 2903699 A EP 1069916 A	11-10-1999 24-01-2001
WO 9716544	A	09-05-1997	US 5714360 A AU 7553196 A CA 2236588 A EP 0862624 A JP 2000500440 T US 6077698 A	03-02-1998 22-05-1997 09-05-1997 09-09-1998 18-01-2000 20-06-2000
WO 0121326	A	29-03-2001	NONE	